

NATIONAL INSTITUTE OF TECHNOLOGY ROURKELA-769008, ODISHA

(OPEN TENDER NOTICE NO.: NITR/PW/EC/2018/74 Date: 18.01.2018)

(PROCUREMENT & INSTALLATION OF VARIOUS ELECTRONIC LABORATORY INSTRUMENTS AND SYSTEMS WITH ACCESSORIES)

Name of the components:

Item No.	Name of the Equipment	Basic Specification	Quantity Required
1.	Digital Storage Oscilloscope	70MHz, 2 channel	40
	(DSO)		
2.	DC Power Supply	Triple output, 0-30V variable, \pm 15V, 5V	100
3.	Digital Multimeter	Benchtop, 4.5 digit or more	100
4.	Function Generator	10 MHz, Single Channel	100
5.	Analog-Digital Circuit	See Annexure-I	100
	Development Board/Trainer		
6.	IC Tester	See Annexure-I	4
7.	LCR Meter	20Hz to 200kHz or above	2
8.	Universal EPROM Programmer	See Annexure-I	2

Quantity required	: as mentioned above	
	(All information provided in technical specification)	
EMD Amount	: 2% of the total quoted amount	
Delivery	: Within 30 days from the date of purchase order	

Last Date of submission of Tender: 12/02/2018, 3:00 P.M.

Address for submission of Tender: The Registrar

	National Institute of Technology
	Rourkela – 769 008, Odisha, INDIA
With Kind Attention to:	Prof. Sougata Kumar Kar
	Through H.O.D, Department of ECE,
	National Institute of Technology,
	Rourkela – 769 008, Odisha, INDIA

Date of opening of technical bid: 12/02/2018, 4:00 P.M.

Date of opening of Financial/Commercial bid: 12/02/2018, 5:00 P.M.

TENDER NOTIFICATION

For

Procurement & Installation of Various Electronic Laboratory Instruments and Systems with Accessories

At

Director, National Institute of Technology (NIT) Rourkela, Odisha invites tender for supply, delivery and installation of Various Electronic Laboratory Instruments and Systems with accessories as per specifications given in the Annexure-I attached to the Tender form. All offers should be made in English and should be written in both figures and words.

The bidders are requested to read the tender document carefully and ensure compliance with all specifications/instructions herein. Non-compliance with specifications/instructions in this document may disqualify the bidders from the tender exercise. The Director, NIT Rourkela, reserves the right to select the item (in single or multiple units) or to reject any quotation wholly or partly without assigning any reason. Incomplete tenders, amendments and additions to tender after opening or late tenders are liable to be ignored and rejected.

The Bidders are requested to give detailed tender in their own forms in two Bids i.e.

Part: I- Technical Bid. Part: II- Financial/Commercial Bid.

Terms and Conditions:

- 1. The technical and financial bids **should be quoted** and put in sealed envelopes marked "**Technical bid**" and "**Financial/ Commercial bid**" separately as applicable. The bidder should also submit an undertaking to abide by all the terms and conditions laid down in the tender document along with the technical bid. These separate bids envelopes are to be put in an outer envelope which should also be sealed.
- 2. The Vendors who have earlier supplied the equipments to any of the NITs, IITs, IISc, IISERs and other Scientific Institutes/Universities of National Repute may only tender. The details of such institutions and the cost with the name of equipment may also be supplied with the bids.
- 3. The technical and financial bids should be submitted in original. The financial bid should include the cost of main equipment/item and its accessories. If there is any separate cost for installation etc. that should be quoted separately.
- 4. Each individual sealed envelope as well as the outer envelope should be super-scribed marked with the **Tender Notice No.: No: NITR/PW/EC/2018/74 Dated 18.01.2018.**
- 5. The printed literature and catalogue/brochure giving full technical details should be included with the technical bid to verify the specifications quoted in the tender. The bidders should submit copies of suitable documents in support of their reputation, credentials and past performance.
- 6. The rates should be quoted in figures (typed or printed) and cutting should be avoided. The final amount should be in figures as well as in words. If there are cuttings, they should be duly initialed, failing which the bids are liable to be rejected.
- 7. Any bids received after due **date and time** shall not be considered.
- 8. The Technical Bids & the Financial Bids will be opened on the mentioned Date and Time.
- 9. While sending rates, the firm shall give an undertaking to the effect that "the terms/conditions mentioned in the enquiry letter/Tender Notice against which the rates are being given are Page 2 of 17

acceptable to the firm." In case the firms do not give this undertaking, their bids will not be considered.

- 10. If the supplier/firm is original equipment manufacturer (OEM)/authorized dealer/sole distributor of any item, the certificate to this effect should be attached.
- 11. The quantity shown against the items is approximate and may vary as per demand of the Institute at the time of placing order.
- 12. All tender documents should have to be sent through courier, speed post or registered post or to drop in the drop box available in dispatch section. All tender documents received after the specified date and time shall not be considered. The postal address for sending the sealed bids is:

The Registrar National Institute of Technology, Rourkela-769008, Odisha, INDIA

With Kind Attention to:Prof. Sougata Kumar Kar,
Through H.O.D, Department of ECE,
National Institute of Technology, Rourkela – 769 008,
Odisha, INDIA

- 13. In the event of any dispute or difference(s) between the vendee Institute (NIT Rourkela) and the vendor(s) arising out of non-supply of material or supplies not found according to specifications or any other cause whatsoever relating to the supply or purchase order before or after the supply has been executed, shall be referred to **"The Director, NIT Rourkela"**, who may decide the matter himself or may appoint arbitrator(s) under the arbitration and conciliation Act. The decision of the arbitrator shall be final and binding on both the parties.
- 14. The place of arbitration and the language to be used in arbitral proceedings shall be decided by the arbitrator.
- 15. All disputes shall be subject to Rourkela Jurisdiction only.
- 16. Each bidder shall submit only one bid. A bidder, who submits more than one bid, shall be disqualified and considered non-responsive.
- 17. All tenders in which any of the prescribed conditions is not fulfilled or any condition is put forth by the tenderer shall be summarily rejected.
- 18. The bidders or their authorized representatives may also be present during the opening of the Technical Bid, if they desire so, at their own expenses.

Note: Price bids of only those bidders will be opened whose technical bids are found suitable by the committee appointed for the purpose. In exceptional situations, an authorized committee may negotiate price with the qualified bidder before awarding the contract.

19. Clarifications:

In case the bidder requires any clarification regarding the tender documents, they are requested to contact our office (e-mail: purchase@nitrkl.ac.in, hod-ec@nitrkl.ac.in & kars@nitrkl.ac.in).

20. Earnest Money Deposit (EMD):

A refundable amount of EMD @ 2% of the quoted value as earnest money deposit (EMD) in the shape of **DD** (Demand Draft) from a scheduled bank in India (valid for a minimum period of 3 months from the date of opening of tender) should accompany the bid documents. The DD

should be drawn in favour of **"The Director, NIT Rourkela"** payable at Rourkela should accompany the bid documents. The EMD should be kept in a separate sealed envelope, should be marked clearly and put in the outer envelope that contains the technical and financial bid envelopes. The bidders should enclose a pre-receipted bill for the EMD to enable us to return the EMD of unsuccessful bidders. Failure to deposit **Earnest Money** will lead to rejection of tender.

21. **Pre – Qualification Criteria**:

- a. Bidders should be the manufacturer/authorized dealer. Letter of Authorization from original equipment manufacturer (OEM) on the same and specific to the tender should been enclosed.
- b. An undertaking from the OEM is required stating that they would facilitate the bidder on a regular basis with technology/product updates and extend support for the warranty as well.
- c. OEM should be internationally reputed Branded Company.
- d. Non-compliance of tender terms, non-submission of required documents, lack of clarity of the specifications, contradiction between bidder specification and supporting documents etc. may lead to rejection of the bid. Furnishing of wrong/ambiguous information in the compliance statement may lead to rejection of bid and further black listing of the bidder, if prima-facie it appears that the information in the compliance statement was given with a mala fide/fraudulent intent.

22. **Prices**:

a. The Prices quoted should be inclusive of all taxes or duties, packing, forwarding, freight, insurance, delivery and commissioning etc. at destination site (NIT Rourkela). NIT Rourkela is registered with DSIR, Govt. of India and is exempted from Custom / Excise Duty.

It may be noted that the Institute is exempt from paying Excise Duty vide Government Notification No. 10/97 dated 01.03.1997 [Registration No.: TU/V/RG-CD (227)/2011, dated 10.10.2011. The Institute is not authorized to issue C or D forms. GST may be charged at applicable rates.

Exemption Certificate to this effect will be issued by NIT Rourkela. Hence, Customs/Excise Duty exempted price should be quoted. The rates shall be firm and final. The price quoted shall be considered firm and no price escalation will be permitted at any time subsequently. In the price bid/financial bid, the vendor should clearly mention the final price breakup i.e. ex-works price/FCA price, FOB price, CIP/CIF price & NIT Rourkela Campus price, as applicable in their bid.

b. In case of imported equipment(s)/item(s), the agency commission, if any, payable in Indian rupees should be mentioned separately. For imported equipments, the Letter of Credit will be opened for the amount excluding agency commission in Indian Rupees. The firm should clearly mention the address of foreign bank in the financial bid.

Please provide GSTIN of the firm along with the allotted by the concerned authorities in your quotation.

23. Validity:

The bid should be valid for acceptance up to a period of 90 Days. The Bidders should be ready to extend the validity, if required without any additional financial implications.

24. Delivery:

All the equipments are to be delivered at NIT Rourkela, Odisha. The Equipment should be delivered within the period as specified in the purchase order. If the bidder fails to deliver and place any or all the Equipments or perform the service by the specified date, penalty at the rate of 1% per month of the total order value subject to the maximum of 05% of total order value will be deducted.

25. Installation and Training:

After successful delivery, the bidders are required to provide the technical experts for installation. Bidders need to provide adequate training to the nominated persons of NIT Rourkela at their cost. NIT Rourkela will not bear any training expenditure. During installation those experts will also train few Faculty, technical assistant, and students of NIT Rourkela. Installation certificate will be signed after satisfactory observation of the performance of the installed system after complete installation. Upgradation of the software for the next 10 years should be free of cost.

26. Warranty Declaration:

Bidders must give the comprehensive onsite warranty as required from the date of successful installation of Equipment against any manufacturing defects and also give the warranty declaration that "everything to be supplied by us here under shall be free from all defects and faults in material, workmanship and shall be of the highest quality and material of the type ordered, shall be in full conformity with the specification and shall be complete enough to carry out the experiments, as specified in the tender document. Any deviation in the material, and the specifications from the accepted terms is liable to be rejected and the bidders need to supply all the goods in the specified form to the satisfaction of NIT Rourkela and as per specifications specified in the order/contract and demonstrate it at the their own cost.

27. Performance Bank Guarantee:

A performance bank guarantee from a scheduled bank in India for an amount equal to 5% of the price for duration of two months beyond the expiry of warranty period will be taken from the supplier or Indian agent.

28. Terms of Payment:

Payment will generally be made only after delivery and satisfactory installation, testing, commissioning etc. of the equipments and submission of a performance bank guarantee for 5% of the order value from a nationalized bank, valid for **2 months** beyond the expiry of the warranty. **This must be specified in the tender/quotation.**

29. Tender expenses and documents:

All costs incurred by the bidder in the preparation of the tender shall be at the entire expenses of the bidder.

30. Tender Evaluation Criteria:

The technical bids will be opened and evaluated by a duly constituted committee. After evaluation of the technical bid, the financial bid for only those offers which have qualified in the evaluation of technical bid will be opened.

31. Return of EMD:

The earnest money of unsuccessful bidders will be returned to them without any interest within 30 working days after awarding the purchase order.

32. Manual and documentation:

All the manuals necessary for operating and servicing the equipment (including details of electronic circuits) will have to be provided along with the instrument.

33. Corrupt or Fraudulent Practices

NIT Rourkela requires that the bidders who wish to bid for this project have highest standards of ethics. NIT Rourkela will reject a bid if it determines that the bidder recommended for award has engaged in corrupt or fraudulent practices while competing for this contract. NIT Rourkela may declare a vendor ineligible, either indefinitely or for a stated duration, to be awarded a contract if it at any time determines that the vendor has engaged in corrupt and fraudulent practices during the execution of contract.

34. Indemnity

The vendor shall indemnify, protect and save NIT Rourkela against all claims, losses, costs, damages, expenses, action suits and other proceeding, resulting from infringement of any law pertaining to patent, trademarks, copyrights etc. or such other statutory infringements in respect of all the equipment's supplied by him.

35. Insurance:

The equipment's to be supplied will be insured by the vendor against all risks of loss or damage from the date of shipment till such time it is delivered at NIT, Rourkela site in case of Rupee/Foreign currency transaction.

36. Interpretation of the clauses in the Tender Document / Contract Document:

In case of any ambiguity / dispute in the interpretation of any of the clauses in this Tender Document, Director, NIT Rourkela's interpretation of the clauses shall be final and binding on all Parties.

Bidders should go through the tender terms, conditions and specifications carefully and fill in the NIT Rourkela attached compliance statement accurately and unambiguously. They should ensure that all the required documents are furnished along with the bid.

BID PARTICULARS

To be used by the bidder for submission of the bid

1. Item No., Name and Model of Equipment:

(As mentioned in technical specifications)

- 2. Currency and Price of the Equipment:
- 3. Name of the Supplier
- 4. Taxes and other charges :
 - (i) Specify the type of taxes and duties in percentages and also in figures:
 - (ii) Specify other charges in figures:
- 5. Warranty period should be mentioned in Technical :
- 6. Delivery Schedule:
- 7. Name and address of the firm for placing purchase order:
- 8. Name and address of Indian authorized agent (in case of imports only):

Signature of the Bidder:	
Name and Designation:	
Business Address:	
Telephone No:	••••••
Fax No. :	
Mobile No:	
Email:	
Web	
Place:	
Date: Se	al of the Bidder's Firm

DECLARATION

I/we have not tampered/modified the tender forms in any manner. In case, if the same is found to be
tampered/modified, I/we understand that my/our tender will be summarily rejected and full Earnest
Money Deposit (EMD) will be forfeited and I/we am/are liable to be banned from doing business with
NIT, Rourkela and /or prosecuted.
Signature of the Bidder:
Name and Designation:
Business Address:
Telephone No. :
Fax No. :
Mobile No:
Email:
Web
Place:
Date: Seal of the Bidder's Firm

Any other details required may be obtained from the contact person given in the notice inviting tender during the office hours.

Compliance statement for Various Electronic Laboratory Instruments and Systems with Accessories

Is Tender fees attached? Tender cost enclosed	Yes/No (If Yes D.D.No. and Bank Name)
Is EMD attached? (if applicable)	Yes/No (If Yes D.D.No. and Bank Name)
Is the bidder original equipment manufacturer (OEM)/authorized dealer?	Yes/No
If authorized dealer, recent dated certificate to this effect from OEM, attached or not ?	Yes/No
Undertaking from OEM regarding technical support & extended warranty present.	Yes/No
Undertaking from bidder regarding acceptance of tender terms &Conditions	Yes/No
List of reputed users for the past three years specific to the Instrument.	Yes/No
Whether special educational discount for NIT Rourkela is given	Yes/No
Whether one day training of operator and research students without any charge offered.	Yes/No (Duration)
No. of trained engineers stationed near to Rourkela, Odisha.	Yes/No (with numbers)

•

DETAILED TECHNICAL SPECIFICATION

Electronic Laboratory Instruments and Systems with Accessories

Sealed tender bids are invited from reputed / authorized vendors / companies for **Electronic Laboratory Instruments and Systems** *with all required accessories*.

Item	Digital Storage Oscilloscope (DSO)	
1	(Preferred Models: DSOX1102A, Make: Keysight / TBS1072B, Make: Tektronix)	
	Туре	Benchtop
	Bandwidth	70 MHz
	No. of Channels (Analog)	2
	Sample Rate	1GS/sec for each channel
	Record Length	2.5k points/channel at all time bases
	Vertical Resolution	8 bits
	Vertical Sensitivity (range)	2mV/div to 5V/div
	DC gain accuracy	± 3% full scale
	Time base range	5 nsec/div to 50 sec/div
	Time base accuracy	50ppm
	Bandwidth Limit	20 MHz
	Input coupling	AC, DC, GND
	Input impedance	1 M Ω in parallel with 20 pF
	Max. Input voltage	300 Vrms
	Acquisition modes	Normal, Averaging, Peak detect, sequence, Envelope, Roll
	Trigger	Edge, video, pulse width
	Auto Measurements	Period, Frequency, Rise Time, Fall Time, Maximum , Minimum , Peak-Peak, Mean, RMS, Amplitude, Overshoot etc.
	Math functions	ADD, Subtract, Multiply, FFT
	Display	7 inch or more LCD/TFT
	Display types	Dots, Vector
	Connectivity	USB 2.0 host port compatible with USB Flash drive and USB 2.0 device port for PC connectivity.
	Operating Temperature Range	0 to 50 ^o C
	Power Supply	220V, 50Hz ± 10%

	Accessories to be Supplied with the	Passive probes 1:1 for each channel, Power
	Equipment	cord, Calibration certificate, Manual/CD
	Warranty	5 Years
ltem	Digital Multimeter	
2	(Preferred Models: SMM5054C, Make: Scientific / 1085, Make: APLAB)	
	Туре	Benchtop
	Display	4.5 Digit or more
	Measurement Type	True RMS
	Count	19999 or more
	AC Voltage Measurement	600 Volt
	AC Voltage Measurement Accuracy	1%
	DC Voltage Measurement	600 Volt
	DC Voltage Measurement Accuracy	0.2 %
	AC Current Measurement	10 Ampere
	AC Current Measurement Accuracy	1%
	DC Current Measurement	10 Ampere
	DC Current Measurement Accuracy	0.1 %
	Resistance Measurement	20 Mega Ohm
	Resistance Measurement Accuracy	1%
	Frequency Measurement	200 KHz
	Frequency Measurement Accuracy	2.0 %
	Capacitance Measurement Range	1 to 100 Micro Farad
	Capacitance Measurement Accuracy	1.5 %
	Continuity Test And Diode Test	Available
	Overload Protection	Through Fuse
	Operating Temperature Range	0 to 50 ^o C
Power Supply		220V, 50Hz ± 10%
	Accessories to be Supplied with the	Power cord, Test Leads, 1 set of
	Equipment	range/parameter changing knob extra if applicable, Calibration certificate, Manual/CD
	Warranty	3 Years
ltem	DC	C Power Supply
3	(Preferred Mode	el: PSD3304, Make: Scientific)
	Output Voltage (triple output)	0-30V variable, \pm 15V and 5V
	Output Current	0 to 2A, 1A, 5A

	Maximum Power	100 Watt
	Load Regulation (Voltage) ± (% Of	
	Output + Offset)	± 0.1% ± 2 mV
	Load Regulation (Current) ± (% Of Output + Offset)	± 0.1% ± 0.25 mA
	Line Regulation (Voltage) ± (% Of Output + Offset)	± 0.1% ± 2 mV
	Line Regulation (Current) ± (% Of Output + Offset)	± 0.1% ± 0.25 mA
	Output Ripple (max)	1 mVrms
	Over Voltage Protection Response Time (max)	10 ms
	Protection	OL/SC
	Operating Temperature	0 to 50 °C
	Power Supply	220V, 50Hz ± 10%
	Accessories to be Supplied with the Equipment	Power cord, Calibration Certificate, 1 set of Single/multi turn potentiometer extra used in Voltage and current setting.
	Warranty	3 Years
ltem	Function	Generator (10 MHz)
ltem 4		l: SM5078A, Make: Scientific)
	(Preferred Mode	l: SM5078A, Make: Scientific)
	(Preferred Mode Frequency Bandwidth	I: SM5078A, Make: Scientific) 0.3 Hz to 10 MHz
	(Preferred Mode Frequency Bandwidth No. Of Channels	I: SM5078A, Make: Scientific) 0.3 Hz to 10 MHz 1
	(Preferred Mode Frequency Bandwidth No. Of Channels Standard Waveforms	I: SM5078A, Make: Scientific) 0.3 Hz to 10 MHz 1 Sine, Square, Pulse, Ramp, Triangle, DC
	(Preferred Mode Frequency Bandwidth No. Of Channels Standard Waveforms Internal Modulating Waveforms	I: SM5078A, Make: Scientific) 0.3 Hz to 10 MHz 1 Sine, Square, Pulse, Ramp, Triangle, DC Sine, Square, Triangle
	(Preferred Mode Frequency Bandwidth No. Of Channels Standard Waveforms Internal Modulating Waveforms Internal Modulating Frequency	I: SM5078A, Make: Scientific) 0.3 Hz to 10 MHz 1 Sine, Square, Pulse, Ramp, Triangle, DC Sine, Square, Triangle 20 Hz to 20 kHz
	(Preferred Mode Frequency Bandwidth No. Of Channels Standard Waveforms Internal Modulating Waveforms Internal Modulating Frequency Frequency Counter Amplitude Range (at 50 Ohm	I: SM5078A, Make: Scientific) 0.3 Hz to 10 MHz 1 Sine, Square, Pulse, Ramp, Triangle, DC Sine, Square, Triangle 20 Hz to 20 kHz 5-digit, 10 Hz- 40 MHz
	(Preferred Model Frequency Bandwidth No. Of Channels Standard Waveforms Internal Modulating Waveforms Internal Modulating Frequency Frequency Counter Amplitude Range (at 50 Ohm Impedance)	I: SM5078A, Make: Scientific) 0.3 Hz to 10 MHz 1 Sine, Square, Pulse, Ramp, Triangle, DC Sine, Square, Triangle 20 Hz to 20 kHz 5-digit, 10 Hz- 40 MHz 10 V pp max
	(Preferred Model Frequency Bandwidth No. Of Channels Standard Waveforms Internal Modulating Waveforms Internal Modulating Frequency Frequency Counter Amplitude Range (at 50 Ohm Impedance) Modulation	I: SM5078A, Make: Scientific) 0.3 Hz to 10 MHz 1 Sine, Square, Pulse, Ramp, Triangle, DC Sine, Square, Triangle 20 Hz to 20 kHz 5-digit, 10 Hz- 40 MHz 10 V pp max AM, FM, PWM, PAM, Internal Sweep
	(Preferred Mode Frequency Bandwidth No. Of Channels Standard Waveforms Internal Modulating Waveforms Internal Modulating Frequency Frequency Counter Amplitude Range (at 50 Ohm Impedance) Modulation Display	I: SM5078A, Make: Scientific) 0.3 Hz to 10 MHz 1 Sine, Square, Pulse, Ramp, Triangle, DC Sine, Square, Triangle 20 Hz to 20 kHz 5-digit, 10 Hz- 40 MHz 10 V pp max AM, FM, PWM, PAM, Internal Sweep Backlit LCD
	(Preferred Model Frequency Bandwidth No. Of Channels Standard Waveforms Internal Modulating Waveforms Internal Modulating Frequency Frequency Counter Amplitude Range (at 50 Ohm Impedance) Modulation Display Operating Temperature Range	I: SM5078A, Make: Scientific) 0.3 Hz to 10 MHz 1 Sine, Square, Pulse, Ramp, Triangle, DC Sine, Square, Triangle 20 Hz to 20 kHz 5-digit, 10 Hz- 40 MHz 10 V pp max AM, FM, PWM, PAM, Internal Sweep Backlit LCD 0 - 50°C Degree C
	(Preferred Model Frequency Bandwidth No. Of Channels Standard Waveforms Internal Modulating Waveforms Internal Modulating Frequency Frequency Counter Amplitude Range (at 50 Ohm Impedance) Modulation Display Operating Temperature Range Power Supply	I: SM5078A, Make: Scientific) 0.3 Hz to 10 MHz 1 Sine, Square, Pulse, Ramp, Triangle, DC Sine, Square, Triangle 20 Hz to 20 kHz 5-digit, 10 Hz- 40 MHz 10 V pp max AM, FM, PWM, PAM, Internal Sweep Backlit LCD 0 - 50°C Degree C 220V, 50Hz ± 10%
	(Preferred Model Frequency Bandwidth No. Of Channels Standard Waveforms Internal Modulating Waveforms Internal Modulating Frequency Frequency Counter Amplitude Range (at 50 Ohm Impedance) Modulation Display Operating Temperature Range Power Supply Accessories to be Supplied with the	I: SM5078A, Make: Scientific) 0.3 Hz to 10 MHz 1 Sine, Square, Pulse, Ramp, Triangle, DC Sine, Square, Triangle 20 Hz to 20 kHz 5-digit, 10 Hz- 40 MHz 10 V pp max AM, FM, PWM, PAM, Internal Sweep Backlit LCD 0 - 50°C Degree C 220V, 50Hz ± 10% Mains Cord, BNC-BNC and BNC-Crocodile cable,

ltem	Analog-Digital Circuit Development Board/Trainer		
5	(Preferred Model: UADW-01, Make: Kitek Tech.)		
	Tie Points on Bread board	2000 nos. or more (solderless), High quality	
		Breadboard	
	DC Power Supplies	+ 5V, 1A (fixed), ± 15V, 200mA (fixed), 0 to	
		±30V, 100 mA (variable)	
	AC Supply	18V-0V-18V, 100mA	
	Sine/Triangle/TTL Generator	1Hz to 200kHz in 5 steps (variable in between	
		the steps) with offset and amplitude	
		adjustment	
	Amplitude	Sine wave: 0 to 15Vpp	
		Square Wave: 0 to 10Vpp	
		TTL: 5V (fixed)	
	Fixed TTL (Clock)	1Hz/10Hz/100Hz/1kHz/10kHz/100kHz/1MHz	
	Data Switches	10 nos.	
	Pulser Switch	1 no.	
	LED Display	10 nos.	
	Logic Probe	Logic level indicator H/L for TTL level (7	
		segment display)	
	On Board Frequency Counter	4 digit 7 segment display	
	Potentiometers (on Board)	1ΚΩ, 100ΚΩ	
	Digital Panel Meter	4, for measurement of voltage and current	
	Speaker (optional)	8W/2W for audio use	
	Operating Temperature Range	0 to 50°C	
	Power Supply	220V, 50Hz ± 10%	
		Breadboards extra (solderless): 2 nos.,	
		Connecting wires: 20 nos., 2mm to 1mm Patch	
	Accessories to be Supplied with the	cords: 8 nos., 2mm to 2mm Patch cords: 10	
	Equipment	nos. (OR as per requirement for the quoted	
		board), Power cord, Calibration Certificate,	
		Operation Manual/CD.	
	Warranty	3 Years	
Item	Universal IC tester		
6	(Preferred Model: MME-	ADIT 40, Make: MINMAX Electronics)	
	Analog ICs	It should Tests a wide range of Analog IC's such	
		as ADC, DAC, Op-amp, 555, Transistor Arrays,	
		Analog Switches, Waveform Generator, Opto-	

		couplers, Comparators & Voltages Followers
	Digital ICs	It should Tests a wide range of Digital IC's such
	Digital fee	as 74 Series, 40/45 Series of CMOS IC's.
		It should test Microprocessor 8085, 8086, Z80
		It should tests Peripherals like 8255, 8279, 8253, 8259, 8251, 8155, 6264, 62256, 8288, 8284.
	Other Features	Test by: Truth table/sequence table
		comparison
		ZIF: 20 pin for Analog, 40 pin for Digital ICs
		Keyboard: 24 keys Keyboard & functional keys.
		Display: LCD
	Operating Temperature Range	0 to 50°C
	Power Supply	220V, 50Hz ± 10%
	Accessories to be Supplied with the	Power Cord, Operation manual/CD,
	Equipment	Calibration/Test Certificate
	Warranty	3 Years
Item		LCR Meter
7	(Preferred Models: E4980AL, Make: Keysight, HM8118, Make: Rohde & Schwarz)	
	Test Frequency	20 Hz to 200 kHz or more
	Basic Accuracy	0.1%
	Test Speed	100 ms
	Test Signal Level	0 to 2 Vrms
	DC Bias (Internal)	0 to 2 V
	DISPLAY RANGE	
	Resistance (R)	0.00001 Ω to 99999 kΩ
	Capacitance (C)	0.00001 pF to 99999 uF
	Inductance (L)	0.00001 mH to 99999 H
	Quality Factor (Q)	0.0001 to 9999
	Dissipation Factor (D)	0.0001 to 9999
	Impedance (Z)	0.00001 Ω to 99999 kΩ
	Phase Angle (Degree) (O)	-180.00° to +180.00°
	Test Mode	R/Q, C/D, C/R, L/Q, Ζ/θ, L/R
	Equivalent Circuit	Parallel or series selectable
	Test Speed Mode	SLOW, MEDIUM and FAST
	Parameter Display	Value, Deviation, % Deviation
	Display	LCD
	Interface	LAN, USB, GPIB
	Operating Temperature Range	0 to 50°C

	Derver County	2201/ 501- 1 40%
	Power Supply	220V, 50Hz ± 10%
	Accessories to be Supplied with the Equipment	Power Cord, Operation manual, PC software, Calibration/Test Certificate, 4-terminal kelvin test cable, 4-terminal SMD component test
		fixture.
	Warranty	3 Years
Item		EEPROM Programmer
8	(Preferred	Model: DATAMAN-S6)
	Supported Devices	EPROM, EEPROM, FLASH, NV RAM, NAND
		Flash, Serial EEPROM, MCU/MPU, PLD, Static
		RAM etc.
	No. of Pins	48-pin (DIL ZIF socket)
	Pin Driver	48 universal
	Connectivity	High Speed USB 2.0
	Other Features	It should have USB Powered
		ZIF: 48 pin DIP ZIF socket
		Self-test capability
	Logic signal level	1.5V to 6.0V
	IOL, IOH current	10mA
	Clock frequency	0 Hz to 75 MHz
	Logic signal frequency	75MHz (3.5V), 60MHz (2.5V), 45MHz (1.8V),
		25MHz (1.5V)
	Signal skew	< ± 2.5nS (3-5V)
	Operating Temperature Range	0 to 50°C
	Power Supply	220V, 50Hz ± 10%
		Power Cord, Operation manual,
		Calibration/Test Certificate, Adapters for
	Accessories to be Supplied with the	operations with devices in PLCC, SOIC, QFP,
	Equipment	BGA and QFN packages as well as cables for in-
		system programming to be provided.
	Warranty	3 Years

Other Requirements:	
Demonstration of instrument performance	The supplier should demonstrate the standard measurement parameter values as well as facility available in the instrument.
Manuals	1 set of detailed operation, servicing and Programming manual should be provided in both soft form as well as Hard copy. Language should be English only.
Installation	The satisfactory installation to the full specifications of the machine with all accessories at NIT Rourkela campus. Any additional equipment/accessory for the installation of the system should be quoted invariably. NIT Rourkela will provide only space and electrical connection.
Training	Supplier should provide a comprehensive and free training to NIT Rourkela engineers on operation and preventive maintenance of the equipments.
Warranty	5 years for Item 1 and 3 years for Item 2-8 on-site warranty (give details including scope, no. of visits, etc.) Any part(s) that are not covered under warranty should be mentioned clearly. The price for extension of warranty must be optionally quoted. The supplier should have Calibration and other maintenance support facility located in India
The instruments should be compatible to 220-230V AC 50Hz, single phase power supply. The vendor should specify the power requirements for all the components in the technical quotation.	
Vendor should provide the tools and Spare part for smooth functioning of the machine for 10- 15 years.	

Guarantee / Warranty and after sales technical support

The tender must be quoted with five years for item 1 and three years for item 2-8 on-site comprehensive Warranty/Guarantee commencing from the date of complete and satisfactory installation of the equipment against the defect of any manufacturing, workmanship and poor quality of the components. The bidder also must agree and issue a certificate stating that technical query will be responded within 7 working days and the support will be provided within 21 working days from the date of reporting of the technical failure for down time free operation of the instrument.

Operation and service manual in English (electronic and hard copy) should be provided with all the equipments and components.

In the technical details, specify clearly about the kind of service/maintenance required for the system. Also mention that whether the service has to be carried out by a company engineer or it can be carried by trained service personnel within India.

The complete training of all measurement options should be free for NIT Rourkela user staff/students members, onsite.

Enclose pre-installation guide for the details on electrical power, space and other for all components and essential accessories.

Bid should include all other essential auxiliary equipment and spares for its smooth operation for 3-5 years from date of installation (please provide list with the details).

All sample handling tool-kits/consumables should be provided. Wherever, consumables and other items required to handle the system while operating all measurement options, must be quoted separately for enough quantity.

Quote separately for all optional items/accessories and consumables which are not explicitly specified above however required for smooth functioning of the machines.

A list of institutes (with details) in India where the similar equipments (with all options in this tender) has been sold or is under operation should be provided.

The manufacturer has to stand guarantee for the relocation of the systems from the present campus of NIT Rourkela to any other place if any in future.